## PROC SQL

## Can I exclude certain columns from the select \* clause?

The simple answer is no: there is no SQL equivalent to the DROP= dataset option on a SET or MERGE statement to exclude only a few columns from a long list.

It is possible however to use some SQL syntax to easily build the desired SELECT clause.

Using SELECT \* will by default select 'all' columns, but using it in conjunction with the FEEDBACK option it causes the system to expand the clause to its full extent, and writes the resulting syntax in the LOG. e.g. consider the code:

```
proc sql feedback noprint ;
  select * from sashelp.cars ;
quit ;
```

generates the following in the LOG:

It is possible then to copy and paste this SELECT clause back into the editor and delete the columns which are not required.

```
proc sql feedback ;
   select CARS.Make, CARS.Model, CARS.Type, CARS.Origin, CARS.DriveTrai
n, CARS.MSRP, CARS.Invoice, CARS.EngineSize, CARS.Cylinders, CARS.Hors
epower, CARS.MPG_City, CARS.MPG_Highway, CARS.Weight, CARS.Wheelbase,
CARS.Length
   from sashelp.cars ;
quit ;
```

When the system expands the SELECT \* clause it adds a default table alias of the table name. Page 1 / 2

## **PROC SQL**

If the intention is to insert the full SELECT clause into existing code which already uses a table alias, then this can also be achieved by using the same table alias in the FEEDBACK step:

```
proc sql feedback noprint ;
  select * from sashelp.cars as c ;
quit ;
```

Which generates the following in the LOG:

```
select C.Make, C.Model, C.Type, C.Origin, C.DriveTrain, C.MSRP, C.Invo ice, C.EngineSize, C.Cylinders, C.Horsepower, C.MPG_City, C.MPG_Highway, C.Weight, C.Wheelbase, C.Length
```

Unique solution ID: #1030 Author: Alan D Rudland

Last update: 2017-07-20 15:28