

Procedures

How can I re-start an EG session with all settings from a previous session?

For long-running code it can be frustrating when a session ends (either intentionally or unintentionally) and the process must be re-started from the beginning as:

- all of the datasets in the WORK library have been deleted
- previously declared system options have reverted to default
- macro variables have been deleted from the GLOBAL symbol table
- macro program definitions have been deleted from the macro catalog in the WORK library
- format definitions in the WORK catalog have also been deleted

Since SAS 9.4 there has been a simple solution with PROC PRESENV which easily PREServes your ENVironment.

The first stage is to set the GLOBAL system option

```
options presenv ;
```

then assign a permanent library to contain the datasets and catalogs

```
libname bkup 'c:\bkup' ;
```

This location should NOT contain any other datasets / catalogs as the first stage of the process is to delete anything already in the directory, to be replaced by the current session data.

Assign a file to contain SAS code which the procedure generates to restore the session

```
filename rest 'c:\bkupcode\presenv_restore.sas' ;
```

After adding the main body of code add the PROC PRESENV code to create the restore point.

```
options presenv ;
```

```
libname bkup 'c:\bkup' ;
```

```
filename rest 'c:\bkupcode\presenv_restore.sas' ;
```

```
proc format ;  
  picture hmsd  
    low - high = '-%0H-%0M-%0S' (datatype = time) ;  
run ;
```

```
%let tstp = %sysfunc(putn(%sysfunc(time()),hmsd9.)) ;  
%put &tstp ;
```

Procedures

```
%macro runit ;  
    %put NOTE: This macro does nothing. ;  
%mend runit ;  
  
%runit  
  
options nodate ;  
title 'Change the default TITLE' ;  
  
data class ;  
    set sashelp.class ;  
run ;  
  
proc print ;  
run ;  
  
proc presenv  
    permdir = bkup  
    sascode = rest  
    show_comments  
    ;  
run ;
```

In a new session open the code generated in the specified restore file and submit it.

The existing code can then be re-started from the restore point, without having to re-run the preceding code.

Unique solution ID: #1050

Author: Alan D Rudland

Last update: 2019-12-20 13:12